



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and in accordance with the current certification process. It has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/6618/162/09/26/1829

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer: Anshitu Technology (Shanghai) Co.,Ltd.

ROOM 201, BUILDING 7, NO. 185 YUANQING ROAD, BAOSHAN DISTRICT, SHANGHAI
CHINA

Description

PPE Type: protective sleeve against mechanical risks, chemical risks, against microorganisms risks

Product reference: CR62

Sleeve description: cotton liner tripple dipping PVC glove adding PVC/cotton/polyester sleeve

Available sizes: 7/S 8/M 9/L 10/XL 11/XXL

Pictures:



Reference standard:

Levels of performance / class of protection

« X » indicates that the sleeve has not been submitted to the test or the test method appears not to be suitable for the sleeve design or material.
« 0 » indicates that the sleeve falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020 + A1:2024

compliant

EN 388:2016 + A1:2018

4 1 2 1 X

EN ISO 374-5:2016

MICRO-ORGANISMS

EN ISO 374-1:2016 + A1:2018

Type B

KLT

This product is a category III (lethal or irreversible risk). This certificate shall only be used in conjuncture with one of the conformity assessment procedures referred to in point (c) of Article 19 of the regulation (EU) 2016/425.

At the date of the certificate, the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the user instructions index 01 dated from September 2026 and the user instructions index 2026/6/25.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Salomé FRAU

Certification team leader



Date of first issue: 21 September 2026

Date of end of validity: 27 February 2030



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Anshitu Technology (Shanghai) Co.,Ltd.

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	CR62
Article code	:	/
Technical file index	:	01
Last update	:	September 2026

IDENTIFICATION

Reference of the product :	:	CR62
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	September 2026

Manufacturer :

Anshitu Technology (Shanghai) Co.,Ltd.

ROOM 201, BUILDING 7, NO. 185 YUANQING ROAD, BAOSHAN DISTRICT,
SHANGHAI

CHINA

tel : +8618516117097

fax : /

Factory :

JIANGSU RISTA SAFETY PROTECTION PRODUCTS CO.,LTD

NO.128 MINGZHU ROAD BINHAI INDUSTRIAL PARK,QIDONG ,JiangSu

China

tel: 86-513-83921166

fax: /

SLEEVE DESCRIPTION

General sleeve description and intended use:

cotton liner tripple dipping PVC glove adding PVC/cotton/polyester sleeve

This sleeve is designed against mechanical risks, chemical risks, against microorganisms risks.

Type of coating finish : sandy

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒
§1.4	Manufacturer's instructions and information is available	☒
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☒
§2.5	PPE which may be caught up during use	☒
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒
§2.14	Multi-risk PPE	☒
§3.3	The PPE is intended to protect against mechanical injuries	☒
§3.10.2	PPE intended to protect against substances and mixtures which are hazardous to health and against harmful biological agents - Cutaneous contact	☒

Sleeve constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm	coating	BLUE	PVC	1053-1287g/m ²		1.15~1.3MM
	Liner	WHITE	COTTON	150-160g/m ²	15	
Back	coating	BLUE	PVC	1053-1287g/m ²		1.15~1.3MM
	Liner	WHITE	COTTON	150-160g/m ²	15	
Cuff	coating	BLUE	PVC	1053-1287g/m ²		1.15~1.3MM
	Liner	WHITE	COTTON	150-160g/m ²	15	
Accessories	Sleeve part	BLUE	PVC	380g/m ²		0.29~0.35m m
	Sleeve shell	WHITE	cotton/polyester			
	No contact to skin	YELLOW	ELSATIC			

PROTECTION SCOPE

This sleeve meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This sleeve is designed against mechanical risks, chemical risks, against microorganisms risks.

It is a category III product, module D

GENERAL REQUIREMENTS

Standard EN ISO 21420:2020 + A1:2024

Dexterity : 5

Available size range: 7/S~11/XXL

A different hand sizing system from the one defined in EN ISO 21420 Annex B table B.1 is used:

Sleeve size	Sleeve circumference (mm)	Sleeve length (mm)
7/S	210	160
8/M	222	170
9/L	246	180
10/XL	252	190
11/XXL	258	200

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the sleeve has not been submitted to the test or the test method appears not to be suitable for the sleeve design or material.

« 0 » indicates that the sleeve falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388:2016 + A1:2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	N/A

The levels of performance have been measured on the forearm.

Chemical hazard EN 374-2:2014

Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Chemical hazard EN ISO 374-1:2016 + A1:2018

Type :	Type B
--------	--------

Tested chemical :	CAS N°	Letter	Permeation performance levels	Degradation value
Sodium hydroxide 40%	1310-73-2	K	6	3,8%
Sulphuric acid 96%	7664-93-9	L	2	52,8%
Formaldehyde 37%	50-00-0	T	6	-5,6%

Microorganism EN ISO 374-5:2016

This glove protect against microorganism.

Uncontrolled against viruses.

TEST REPORTS

EN ISO 21420 + innocuousness	S230403496_1 S210100593_3 S221209246_1 S230908210_1 S230908565_1
EN 388	S230908565_1 S221209246_1
EN 374-2	S230201234_2 S230908565_1
EN 16523-1	S230503811_1 S221209246_1 S230908565_1 S241212904_1
EN ISO 374-5	S230201234_2 S230908565_1
Other	S221209246_1(EN 374-4) S230908565_1 (EN374-4) S241212904_1 (EN374-4)

MARKING - PACKAGING

Information printed on the sleeve :

Logo of Manufacturer :

Logo 

Sleeve's reference : CR62

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Method of marking on the sleeve :

Logo to be printed at the back hand.

Packaging suitable for transport:

6 pairs a polybag, 48 pairs a carton.

PPE subject to ageing :

Peremption period : 5 YEARS when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the sleeve shall be visually controlled, in case of deterioration the sleeves must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

after use and before removing the glove, the glove must be thoroughly washed under warm water (<50 °C) with a neutral soap

MEANS OF CONTROL

According to ISO 9001, Random inspect Abrasion, water leak, air leak for every batch ; EN ISO 374-2 Radom inspection for every batch



Certificate of Registration

This is to certify that the Management System of

Jiangsu Rista Safety Protection Products Co., Ltd.

Unified Social Credit Code: 91320681301899574W

Registration Address: No.128, Mingzhu Road, Binhai Industrial Park, Qidong City,
Jiangsu Province, P.R.China

Assessment Address: No.128, Mingzhu Road, Binhai Industrial Park, Qidong City,
Jiangsu Province, P.R.China

Has been independently assessed and is
compliant with the requirements of:
ISO 9001:2015

For the following scope of activities:
The Design and Manufacture of Protective Gloves.

Certificate Number: QAIC/CN/200588

Initial certification:	06/11/2020
Latest issue:	07/11/2023
Re- certification before:	05/11/2026

A handwritten signature in black ink, likely belonging to Mike Tims, the Chief Executive Officer.

Authorised by Mike Tims, Chief Executive Officer
(Date of this certificate 07/11/2023, V1)

The Validity and Status of this certificate can be verified by using
the UKAS CertCheck website at certcheck.ukas.com or the China CNCA website at cnca.gov.cn.
The certified organization must undergo annual audits to maintain its certification.



Amtivo Group Limited, 30 Tower View, Kings Hill, Kent, ME10 4UY W:hello@amtivo.com E:hello@amtivo.com
Amtivo China Limited, Beai Centre, Room 901, No. 6, Alley 250, West Jiangcheng Road, Shanghai, P.R. China
Postcode: 200438 T:0086 21 31017385 F:0086 21 31017385 W:www.amtivocn.com E:link-cert@vip.163.com